





* Dimensions may vary +/- 1/4" (6mm) / Les dimensions peuvent varier de +/- 1/4" (6mm)





DIMENSIONS	WEIGHT POIDS	MATERIAL MATÉRIEL	OVERFLOW HEIGHT HAUTEUR DU TROP-PLEIN	WATER CAPACITY CAPACITÉ DE L'EAU
60 x 31.7 x 21" 1525 x 805 x 535mm	85 lbs 38.5 Kg	Acrylic Acrylique	13" 330mm	48 gal 218 lts
FINISH FINITION	DRAIN LOCATION LOCATION DU DRAIN	PIECES PIÈCES	COMPLIANCE CERTIFICATIONS: Uniform Plumbing Code National Plumbing Code of Canada CSA B45.5-17/IAPMO Z124-2017	
White Blanc	Left Gauche	1 pc		




* Dimensions may vary +/- 1/4" (6mm) / Les dimensions peuvent varier de +/- 1/4" (6mm)




DIMENSIONS	WEIGHT POIDS	MATERIAL MATÉRIEL	OVERFLOW HEIGHT HAUTEUR DU TROP-PLEIN	WATER CAPACITY CAPACITÉ DE L'EAU
60 x 31.7 x 21" 1525 x 805 x 535mm	85 lbs 38.5 Kg	Acrylic Acrylique	13" 330mm	48 gal 218 lts
FINISH FINITION	DRAIN LOCATION LOCATION DU DRAIN	PIECES PIÈCES	COMPLIANCE CERTIFICATIONS:	
White Blanc	Right Droite	1 pc	Uniform Plumbing Code National Plumbing Code of Canada CSA B45.5-17/IAPMO Z124-2017	




Pure acrylic
construction
reinforced by
fiberglass




Skirted tub
installation



Adjustable feet



Pop-up drain
NOT included



Circular hole for
overflow



cUPC Certified